



LED A17 Bulb, Dimmable, Frosted, 3W

120VAC — Replaces Incandescents up to 25 Watts — E26 Base



FEATURES

- 2 Year LEDtronics Limited Warranty
- Direct Retrofit into E26 Edison Base Fixtures
- Omnidirectional Beam Pattern
- Energy Savings of up to 90%
- Lumen Maintenance over 70% @ 50,000+ Hours
- Dimmable with Standard Lamp Dimmers
- High CRI: 80+

APPLICATIONS

- For Use Indoors Only
- Architectural / Décor Lighting
- Store Front Displays & Retail Display Cases
- Accent Lighting

30 Years of LEDtronics Design, Engineering & Manufacturing Experience

**E26 BASE
FROSTED**



Replaces Incandescent Bulbs
up to 25 Watts

DEC-A17F-3W-XHW-120AWD

Input Power	2.5 Watts
Input Voltage	120VAC
Total Lumens	185 lm
Max. Candela	20 cd
Power Factor	0.75
Efficacy	75 lm/W
CRI	>80
Color	Halogen White
Color Temperature	2400K~2700K
Beam Pattern	Omnidirectional
Oper. Temperature	-4°F ~+113°F (-20°C ~+45°C)
Heatsink	Aluminum / Silver Color
Lens	Tempered Glass / Frosted White
Dimensions	3.93 x 0.217 inch / 100 x 055 mm
Net Weight	0.12 lb / 1.92 oz / 54.4 g



LEDTRONICS®

Creating the Future of LED Light Since 1983™



© 2014 LEDtronics, Inc.

23105 Kashiwa Court, Torrance, CA 90505
 Phone: (800) 579.4875 / (310) 534.1505
 Fax: (310) 534.1424
 E-mail: info@ledtronics.com
 Website: ledtronics.com



To order LEDtronics products,
contact the Distributor or Sales Representative in your area.

Visit our website to find your local Distributor or Representative
from our worldwide network:

LEDTRONICS.COM

WWW.LEDTRONICS.COM

LOG 522 / Rev 08-2014

Check LEDTRONICS.COM for latest data.
Printed material may be outdated.

LED A17 Bulb, Dimmable, Frosted, 3 Watts

PHOTOMETRIC REPORT:

DEC-A17F-3W-XHW-120AWD

Filename: DEC-A17F-3W-XHW-120AWD

Manufacturer: LEDTRONICS

Luminaire: CLEAR LENS, DIM, 120VAC, 2.5W

Luminaire Cat: DEC-A17c-3W-XHW-120AWD

Lamp: . LUMEN RATING: 185.2 Lms.

Lamp Output: 1 lamp(s), rated Lumens/lamp: 185.2

Max Candela: 18.6 at Horizontal: 0°, Vertical: 60°

Luminous Opening: Point

Test: 3-10-14

Photometry : Type C

CIE Class: General Diffuse

Cutoff Class: Noncutoff

Zonal Lumen Summary

Zone	Lumens	% Lamp	% Luminaire
0-30	12.2	6.6%	6.6%
0-40	22.5	12.1%	12.1%
0-60	52.5	28.4%	28.4%
60-90	56.4	30.4%	30.4%
70-100	55.8	30.1%	30.1%
90-120	48.0	25.9%	25.9%
0-90	108.9	58.8%	58.8%
90-180	76.3	41.2%	41.2%
0-180	185.2	100%	100%

