



Compact LED T5 Tube Bulbs, 120VAC

Less than 2 Watts, Directly Replaces Incandescents up to 12W – E12, E14, E17 or Bayonet Bases



FEATURES

- 2 Year LEDtronic Warranty
- Up to 90% Energy Reduction
- Long Life: White LEDs Last up to 50,000 Hours
- Compact Bulb Fits in Enclosed Fixtures & Tight Spaces
- Polycarbonate Lens, Nickel Plated Brass Base
- Solid State – Shock & Vibration Resistant
- Wide Operating Temperature Range: -30°C to +50°C
- Minimal Heat Generation
- Omnidirectional, No-Shadow Beam
- Made in USA from Imported Parts
- No Toxic Metals – RoHS Compliant
- Other Colors & Voltages Available

APPLICATIONS

- Decorative & Accent Lighting


Over 35 Years of LEDtronic Design, Engineering & Manufacturing Experience



E12
Candelabra
Screw Base

LED15T5-1WE12-XHW-001A


Input Power	1.5~2.0 Watt
Input Voltage	120VAC
Input Current	0.013-0.016 A
Efficacy	45 lm/W
Lumens	45 lm
Power Factor	0.5
Illumination Angle	360°
Emitted Color	Halogen White
Color Temperature	2700K~3000K
Base/Material	E12 Candelabra / Nickel-Plated Brass
Lens Material	Polycarbonate / Clear
Oper. Temperature	-22°F ~+122°F / -30°C ~+50°C
Dimensions	1.94 x Ø0.60 inch / 49.3 x Ø15.2 mm
Net Weight	0.0125 lb / 0.2 oz / 5.67 g



E14
Euro Screw
Base

LED15T5-1WE14-XHW-001A

Input Power	1.5~2.0 Watt
Input Voltage	120VAC
Input Current	0.013-0.016 A
Efficacy	45 lm/W
Lumens	45 lm
Power Factor	0.5
Illumination Angle	360°
Emitted Color	Halogen White
Color Temperature	2700K~3000K
Base/Material	E14 / Nickel-Plated Brass
Lens Material	Polycarbonate / Clear
Oper. Temperature	-22°F ~+122°F / -30°C ~+50°C
Dimensions	2.12 x Ø0.71 inch / 53.9 x Ø18.0 mm
Net Weight	0.0125 lb / 0.2 oz / 5.67 g



LEDTRONICS®

America's Premium Brand LED Company™



© 2020 LEDtronic, Inc.



23105 Kashiwa Court, Torrance, CA 90505
 Phone: (800) 579.4875 / (310) 534.1505
 Fax: (310) 534.1424
 E-mail: info@ledtronics.com
 Website: ledtronics.com

ARRA
Compliant

Made in USA
from Imported
Parts

To order LEDtronic products, contact the Distributor or Sales Representative in your area.

Visit our website to find your local Distributor or Representative from our worldwide network:


LEDtronic.com

WWW.LEDTRONICS.COM

LOG 610 / Rev 09-2020

Check LEDTRONICS.COM for latest data. Printed material may be outdated.

LED T5 Bulbs – E17 Base

E17
Intermediate
Screw Base

LED15T5-1WE17-XHW-001A

Input Power	1.5~2.0 Watt
Input Voltage	120VAC
Input Current	0.013-0.016 A
Efficacy	45 lm/W
Lumens	45 lm
Power Factor	0.5
Illumination Angle	360°
Emitted Color	Halogen White
Color Temperature	2700K~3000K
Base/Material	E17 / Nickel-Plated Brass
Lens Material	Polycarbonate / Clear
Oper. Temperature	-22°F ~+122°F / -30°C ~+50°C
Dimensions	2.00 x Ø0.67 inch / 50.8 x Ø17.0 mm
Net Weight	0.0125 lb / 0.2 oz / 5.67 g

LED T5 Bulbs – Bayonet Base


LED15T5-1WSCB-XHW-001A

Input Power	1.5~2.0 Watt
Input Voltage	120VAC
Input Current	0.013-0.016 A
Efficacy	45 lm/W
Lumens	45 lm
Power Factor	0.5
Illumination Angle	360°
Emitted Color	Halogen White
Color Temperature	2700K~3000K
Base/Material	Ba15s Bayonet / Nickel-Plated Brass
Lens Material	Polycarbonate / Clear
Oper. Temperature	-22°F ~+122°F / -30°C ~+50°C
Dimensions	2.00 x Ø0.63 inch / 50.8 x Ø16.0 mm
Net Weight	0.0125 lb / 0.2 oz / 5.67 g



LED15T5-1WDCB-XHW-001A

Input Power	1.5~2.0 Watt
Input Voltage	120VAC
Input Current	0.013-0.016 A
Efficacy	45 lm/W
Lumens	45 lm
Power Factor	0.5
Illumination Angle	360°
Emitted Color	Halogen White
Color Temperature	2700K~3000K
Base/Material	Ba15d Bayonet / Nickel-Plated Brass
Lens Material	Polycarbonate / Clear
Oper. Temperature	-22°F ~+122°F / -30°C ~+50°C
Dimensions	2.00 x Ø0.63 inch / 50.8 x Ø16.0 mm
Net Weight	0.0125 lb / 0.2 oz / 5.67 g

Ba15s
Single Contact
Bayonet BaseBa15d
Double Contact
Bayonet Base